



ENSHINE Lighting
lights up your world for
love and hope

www.enshinelighting.com





Company Profile

Enshine lighting was established in 2006 to specialize in manufacturing LED lamps.

By 2023

● Factory Area
70,000 square meters

● Production Line
30 lines

● Daily Capacity
360,000pcs

Enshine Lighting has a mature product R&D, production, quality control, supply chain management system. From raw material, production line to finished-products, each process is inspected strictly by our conscientious and experienced QC auditors to ensure the stable quality and low cost.

We design, we R&D, we manufacture, we inspect, we consistently surpass customer expectations in quality, innovation, value and service.

Quality is not an option, it's an obligation!





▲ R&D Department




▲ Manufacturing Shop




▲ Injection Workshop

ECO Downlight




Model Number	Size	Power	Input Voltage	Color Temp	Lumen	C.R.I	Beam Angle	Lifespan	Adaptor
YX-R4	4 Inch	8W	AC 120V	5CCT	700lm	80	90°	15,000h	E26
YX-R6	6 Inch	14W	AC 120V	5CCT	1200lm	80	90°	15,000h	E26




Model Number	Size	Power	Input Voltage	Color Temp	Lumen	C.R.I	Beam Angle	Lifespan	Adaptor
YX-R4S	4 Inch	8W	AC 120V	5CCT	700lm	80	90°	15,000h	E26
YX-R6S	6 Inch	14W	AC 120V	5CCT	1200lm	80	90°	15,000h	E26

Disk Light




Model Number	Size	Power	Input Voltage	Color Temp	Lumen	C.R.I	Beam Angle	Lifespan	Adaptor
YX-Disk	6 Inch	15W	AC 120V	5CCT	1200lm	80	130°	35,000h	E26

Slim Panel Ceiling Light




Model Number	Size	Power	Input Voltage	Color Temp	Lumen	C.R.I	Beam Angle	Lifespan
YX-CL-T	9 Inch	20W	AC 120V	3CCT	2000lm	80	130°	50,000h
YX-CL-T	12 Inch	24W	AC 120V	3CCT	2400lm	80	130°	50,000h

Slim Panel Downlight



Model Number	Size	Power	Input Voltage	Color Temp	C.R.I	Lumen	Beam Angle	Lifespan	Dimension
YX-5RPA	4 Inch	10W	AC 120V	5CCT	80	800lm	110°	35,000h	Φ4.92×0.71 Inch
YX-5RPA	6 Inch	13W	AC 120V	5CCT	80	1050lm	110°	35,000h	Φ6.89×0.71 Inch
YX-5RPA	8 Inch	20W	AC 120V	5CCT	80	1600lm	110°	35,000h	Φ8.78×0.71 Inch
YX-5SPA	4 Inch	9W	AC 120V	5CCT	80	700lm	110°	35,000h	4.72×4.72×0.79 Inch
YX-5SPA	6 Inch	12W	AC 120V	5CCT	80	950lm	110°	35,000h	6.69×6.69×0.79 Inch
YX-5SPA	8 Inch	18W	AC 120V	5CCT	80	1400lm	110°	35,000h	8.86×8.86×0.79 Inch



Model Number	Size	Power	Input Voltage	Color Temp	C.R.I	Lumen	UGR	Lifespan
YX-BPA	1×4FT	20/30/40W	AC 120V	5CCT	80	5000lm	<22	50,000h
YX-BPA	2×2FT	20/30/40W	AC 120V	5CCT	80	5000lm	<22	50,000h
YX-BPA	2×4FT	30/40/50W	AC 120V	5CCT	80	6250lm	<22	50,000h

Adjustable deformable panel



Model Number	Power	Input Voltage	Lumen	C.R.I	Beam Angle	Lifespan	Dimension	Adaptor
YX-CA	100W	AC 120V	10000lm	80	200°	50,000h	Φ13.29×4.07 Inch	E26
YX-CA	150W	AC 120V	15000lm	80	200°	50,000h	Φ13.76×4.07 Inch	E26
YX-CA	180W	AC 120V	18000lm	80	200°	50,000h	Φ14.17×4.07 Inch	E26



E26/E40

Model Number	Rated Wattage	Input Voltage	Colour Temp.	Luminous Flux (±10%)	C.R.I.	Lamp Size	Pcs/Carton	Carton Size
YX-BU33	40W	AC 90-265V	2700K-7000K	4500lm	>80	Φ115×H175mm	10	718×298×250mm
YX-BU33	80W	AC 90-265V	2700K-7000K	8500lm	>80	Φ115×H240mm	10	718×298×293mm
YX-BU33	120W	AC 90-265V	2700K-7000K	13000lm	>80	Φ115×H304mm	10	718×298×365mm

银旭（福建）智能电器有限公司

Enshine (Fujian) Intelligent Electric Appliance Co., Ltd.

厦门银旭工贸有限公司

Xiamen Yinxu Industry & Trade Co., Ltd.

地址：福建省漳州市华安经济开发区正兴路17号银旭工业园

Add: Enshine Industrial park, No.17 Zhengxing Road, Hua'an Economic
Development Zone, Zhangzhou, Fujian, China

International Marketing

Tel : +86-592-5550151 Fax : +86-592-5550156

Mobile Phone : +86-15980808787

E-mail : sales@yinxuxm.com

www.enshinelighting.com



WeChat



Website